NSN 5930-01-189-8212

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-189-8212

Overall Length:	
9.250 inches	

Ac Voltage Rating:

50.0 volts

Dc Voltage Rating:

50.0 volts

Frequency Rating:

60.0 hertz

Overall Diameter:

6.125 inches

Connector Manufacturer Code:

04034

Actuation Method:

Buoyancy

Electrical Connection Type:

Connector receptacle

Connector Identification:

19194

Internal Battery Accommodation:

Not included

Current Rating At Maximum Rated Voltage:

0.06 amperes resistive load

Voltage Rating At Maximum Rated Current:

120.0 volts

Float Quantity:

1

Operating Tempurature Rating:

Between 65.0 degrees fahrenheit and 250.0 degrees fahrenheit

Mounting Method:

Flange

Mounting Position:

Vertical

Maximum Current Rating:

0.12 amperes resistive load

Contact Arrangement:

Spst normally open

Relay:

Not included

Liquid Type For Which Designed:

Hydraulic oil and lubricating oil and sea water and various fuels

Float Effective Travel:

3.500 inches

NSN 5930-01-189-8212

Liquid Level Switch - Page 2 of 2



Mounting Dimensions:

Mtd by six 0.562 in. Diameter holes equally spaced on 6.125 in. Diameter mtg flange

Tank Insertion Length:

5.750 inches

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T109-d