## NSN 5930-01-189-8212

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-189-8212

Overall Length:
9.250 inches
Ac Voltage Rating:
50.0 volts
Dc Voltage Rating:
50.0 volts
Frequency Rating:
60.0 hertz
Overall Diameter:
6.125 inches
Connector Manufacturer Code:
04034
Actuation Method:
Buoyancy
Electrical Connection Type:
Connector receptacle
Connector Identification:
19194
Internal Battery Accommodation:
Not included
Current Rating At Maximum Rated Voltage:
0.06 amperes resistive load
Voltage Rating At Maximum Rated Current:
120.0 volts
Float Quantity:
1
Operating Tempurature Rating:
Between 65.0 degrees fahrenheit and 250.0 degrees fahrenheit
Mounting Method:
Flange
Mounting Position:
Vertical
Maximum Current Rating:
0.12 amperes resistive load
Contact Arrangement:
Spst normally open
Relay:
Not included
Liquid Type For Which Designed:
Hydraulic oil and lubricating oil and sea water and various fuels
Float Effective Travel:

3.500 inches

## NSN 5930-01-189-8212

Liquid Level Switch - Page 2 of 2



	-													•			
١	Л	റ	•	n	tı	n	a		11	m	Δ	n	9	ın	۱n	9	•
1	,,	v	ч	•••		••	9	_	•			•	•		411		•

Mtd by six 0.562 in. Diameter holes equally spaced on 6.125 in. Diameter mtg flange

Tank Insertion Length:

5.750 inches

Phase:

Single

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

T109-d