NSN 5930-01-194-9656

Sensitive Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-194-9656

Hazardous Locations/environmental Protection:
Corrosion resistant
Overall Length:
5.000 inches
Body Diameter:
1.000 inches
Body Length:
3.700 inches
Actuator Length:
1.500 inches
Actuator Style:
Roller arm
Actuator Roller Diameter:
0.750 inches
Actuator Roller Width:
0.310 inches
Maximum Voltage Rating In Volts:
28.0 dc
Inclosure Type:
Fully enclosed
Mounting Method:
Threaded bushing
Thready Qty Per Inch (tpi):
32
Thread Size:
0.469 inches
Nonpile-up Contact Arrangement:
2 pole, double throw, one position momentary single switch unit
Switch Release Force:
144.0 inch-ounces
Switch Actuating Force:
Between 192.0 inch-ounces and 400.0 inch-ounces
Actuator Movement:
13.0 pretravel degrees and 32.0 overtravel degrees and 4.0 differential degrees
Contact Load Current Rating At Maximum Rated Voltage:
5.000 amperes resistive dc and 3.000 amperes inductive dc and 4.000 amperes motor dc
Thread Series Designator:
Uns
Terminal Type And Quantity:
1 connector, receptacle
Shelf Life:
N/a

N/a

NSN 5930-01-194-9656

Sensitive Switch - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A053a0