

View Online at <https://aerobasegroup.com/nsn/5930-01-195-2332>

Body Style:

Panel mount

Hazardous Locations/environmental Protection:

Shock proof

Overall Length:

1.450 inches

Overall Height:

3.525 inches

Overall Width:

1.200 inches

Body Length:

1.450 inches

Body Width:

1.200 inches

Body Height:

3.225 inches

Actuator Length:

0.990 inches

Actuator Style:

Rectangular

Actuator Height:

0.300 inches

Actuator Width:

0.740 inches

Actuator Color:

Green single actuator and yellow single actuator

Illuminated Actuator Color:

Green single actuator and yellow single actuator

Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

End Application:

Weapon systems-spruance class dd (963); blue ridge class lcc-19; wasp class lhd; mine countermeasures support (mcs) class (lph-12); iwo jima class lph; an/sps-40e radar; tarawa class lha; austin ship class lpd-4 amphibious transport docks; whidbey island class lsd; radar, search, an/sps-40

Inclosure Type:

Fully enclosed

Mounting Method:

Panel

Features Provided:

Rfi shielding

Nonpile-up Contact Arrangement:

4 pole, double throw, both positions maintained single switch unit

Criticality Code Justification:

Feat

Contact Load Current Rating At Maximum Rated Voltage:

5.000 amperes resistive dc and 2.500 amperes inductive dc and 5.000 amperes resistive ac and 2.500 amperes inductive ac

Special Features:

Weapon system essential

Precious Material And Location:

Terminal surfaces gold

Test Data Document:

81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

17 pin

Specification Data:

81349-mil-s-22885/80 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A053a0