NSN 5930-01-198-6162

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-198-6162

Thread Class:

2b single mounting facility

Overall Height:

3.500 inches

Overall Width:

2.250 inches

Distance Between Mounting Facility Centers:

2.312 inches single mounting facility

Individual Section Quantity:

3

Operating Tempurature Range:

-25.0/+125.0 degrees fahrenheit

Switch Contact Basic Design:

Nonpile-up nonsymmetrical

Mounting Method:

Bracket single mounting facility and threaded hole single mounting facility

Features Provided:

Actuator knob

Thready Qty Per Inch (tpi):

20 single mounting facility

Thread Size:

0.250 inches single mounting facility

Contact Voltage Rating In Volts:

110.0 ac at sea level

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

2 single actuator

Terminal Type:

Tab, solder lug

Switch Actuator Positioning Increment:

45.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

30.0 amperes resistive load ac at sea level

Precious Material And Location:

Contact and terminal surfaces silver

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

NSN 5930-01-198-6162

Rotary Switch - Page 2 of 2



Thread Series Designator	T	hread	Series	Design	ator
--------------------------	---	-------	--------	--------	------

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0