Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-205-7130

Overall Length:
2.260 inches
Overall Height:
1.250 inches
Overall Width:
1.150 inches
Unthreaded Mounting Hole Diameter:
0.100 inches single mounting facility
Individual Section Quantity:
3
Longest Horizontal Distance Between Mounting Centers:
1.590 inches single mounting facility
Longest Vertical Distance Between Mounting Centers:
1.150 inches single mounting facility
End Application:
Oliver perry class ffg, kidd class ddg, virginia class cgn (41), nimitz class cvn, wasp class lhd, whidbey island class lsd.
Mounting Method:
Unthreaded hole single mounting facility
Actuator Type:
Thumbwheel all actuators
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Four position rectangular single mounting facility
Switch Actuator Indexing Position Quantity:
4 1st actuator
Criticality Code Justification:
Feat
Terminal Type:
Printed circuit
Contact Load Current Rating:
125.0 milliamperes resistive load dc at sea level
Readout Indicator Marking:
0, 1, 2, 3, 4, 5, 6, 7, 8, 9 3rd section
Contact Arrangement Truth Table:
Binary code with complement, 2 pole - 16 positions with 2 commons 3rd section
Special Features:
Weapon system essential
Color:
Natural each indicator marking
Style Designator:
Rectangular inline indicating

Code Indicating Wheel Switch - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0