## NSN 5930-01-212-5407

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-212-5407

Hazardous Loc	ations/environmental Protection:
Dustproof	
Overall Length:	
4.160 inches	
Body Length:	
1.900 inches	
Overall Diamete	er:
1.250 inches	
End Application	ו:
2320-01-113-36	16 chassis truck
Tempurature Se	ensing Element Type:
Immersion well	
Operating Tem	ourature Rating:
Between -40.0 d	egrees fahrenheit and 250.0 degrees fahrenheit
Mounting Methe	od:
Threaded bushir	ng
Thready Qty Pe	r Inch (tpi):
18 single thread	ed bushing
<b>Contact Action</b>	Stimulus:
Increase	
Thread Size:	
0.375 inches sin	gle threaded bushing
Nonpile-up Cor	tact Arrangement:
1 pole, double t	hrow, one position momentary
Terminal Type:	
Tab w/screw	
Contact Load C	Current Rating:
10.0 amperes re	sistive load and 5.0 amperes inductive load and 3.0 amperes lamp load single voltage
Contact Adjust	ability:
Actuation point r	not adjustable and deactuation point not adjustable
Contact Stimul	us Rating:
204.00 actuation	point degrees fahrenheit and 210.00 deactuation point degrees fahrenheit
Contact Voltage	e Rating In Volts:
30.0 dc at sea le	vel single voltage
Media For Whic	h Designed:
Liquid	
Style Designato	pr:
Cylindrical	
Thread Series	Designator:
Npt single thread	-
Shelf Life:	
N/a	

## NSN 5930-01-212-5407

Thermostatic Switch - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0

