NSN 5930-01-213-6137

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-213-6137

Thread Class:

2b single mounting facility

Overall Length:

8.807 inches

Distance Between Mounting Facility Centers:

2.281 inches single mounting facility

Individual Section Quantity:

7

Pole Quantity:

1 single section front

Mounting Facility Circle Radius:

3.219 inches single mounting facility

Mounting Method:

Threaded hole single mounting facility

Thready Qty Per Inch (tpi):

20 single mounting facility

Thread Size:

0.250 inches single mounting facility

Contact Voltage Rating In Volts:

600.0 ac at sea level

Switch Actuator Momentary Position:

Clockwise single actuator and counterclockwise single actuator

Mounting Facility Pattern:

Four position circular single mounting facility

Switch Actuator Indexing Position Quantity:

3 single actuator

Criticality Code Justification:

7771

Terminal Type:

Tab w/screw

Switch Actuator Positioning Increment:

90.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

30.0 amperes resistive load ac at sea level

Style Designator:

Tap, circuit selector

Thread Series Designator:

Unc single mounting facility

Reference Number Differentiating Characteristics:

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications

NSN 5930-01-213-6137

Rotary Switch - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A052b0