# NSN 5930-01-214-8848

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-214-8848

# **Thread Class:**

2a single threaded bushing

## Hazardous Locations/environmental Protection:

Humidity resistant and salt spray resistant and vibration resistant and waterproof

## **Overall Length:**

3.770 inches

# **Body Diameter:**

0.650 inches

#### **Body Length:**

1.440 inches

## **Tempurature Sensing Element Type:**

Internal sensor

#### **Operating Tempurature Rating:**

Between -65.0 degrees fahrenheit and 390.0 degrees fahrenheit

#### **Mounting Method:**

Threaded bushing

#### **Contact Action Stimulus:**

Increase

# **Thread Size:**

0.750 inches single threaded bushing

# Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

#### **Terminal Type:**

Quick disconnect, male

# **Contact Load Current Rating:**

1.0 amperes resistive load single voltage

#### **Contact Adjustability:**

Actuation point not adjustable

# **Contact Stimulus Rating:**

260.00 actuation point degrees fahrenheit

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level single voltage

#### Media For Which Designed:

Gas or liquid

#### Style Designator:

Cylindrical w/flange

#### **Thread Series Designator:**

Unf single threaded bushing

Shelf Life:

N/a

# Unit Of Measure:

---

# NSN 5930-01-214-8848

Thermostatic Switch - Page 2 of 2

# Demilitarization:

Yes - demil/mli

Fiig:

A048b0

