NSN 5930-01-216-2250

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-216-2250
Thread Class:
2a single threaded bushing
Hazardous Locations/environmental Protection:
Dripproof and explosion proof
Overall Length:
5.230 inches
Body Length:
2.230 inches
Overall Diameter:
0.950 inches
Tempurature Sensing Element Type:
Bulb
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 350.0 degrees fahrenheit
Mounting Method:
Threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.563 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
1.0 amperes inductive load single voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
230.00 actuation point degrees fahrenheit and 190.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level single voltage
Media For Which Designed:
Gas
Style Designator:
Cylindrical
Thread Series Designator:
Unf single threaded bushing
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5930-01-216-2250

Thermostatic Switch - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A048b0