# NSN 5930-01-216-2250

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-216-2250

#### **Thread Class:**

2a single threaded bushing

## Hazardous Locations/environmental Protection:

Dripproof and explosion proof

# **Overall Length:**

5.230 inches

#### **Body Length:**

2.230 inches

## **Overall Diameter:**

0.950 inches

# Tempurature Sensing Element Type:

Bulb

#### **Operating Tempurature Rating:**

Between -65.0 degrees fahrenheit and 350.0 degrees fahrenheit

#### **Mounting Method:**

# Threaded bushing

**Contact Action Stimulus:** 

Increase

# **Thread Size:**

0.563 inches single threaded bushing

## Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

## **Terminal Type:**

Connector, receptacle

# **Contact Load Current Rating:**

1.0 amperes inductive load single voltage

#### **Contact Adjustability:**

Actuation point not adjustable and deactuation point not adjustable

#### **Contact Stimulus Rating:**

230.00 actuation point degrees fahrenheit and 190.00 deactuation point degrees fahrenheit

#### Contact Voltage Rating In Volts:

28.0 dc at sea level single voltage

#### Media For Which Designed:

Gas

# Style Designator:

Cylindrical

**Thread Series Designator:** 

Unf single threaded bushing

Shelf Life:

N/a

# Unit Of Measure:

--

# NSN 5930-01-216-2250

Thermostatic Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A048b0

