NSN 5930-01-217-4717

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-217-4717 **Thread Direction:** Right-hand all threaded stud **Thread Length:** 0.375 inches all threaded stud **Hazardous Locations/environmental Protection:** Vibration resistant **Overall Length:** 1.203 inches **Overall Height:** 0.425 inches **Body Diameter:** 0.578 inches **Body Height:** 0.305 inches **Distance Between Mounting Facility Centers:** 0.937 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -30.0 degrees fahrenheit and 500.0 degrees fahrenheit **Mounting Method:** Bracket and threaded stud **Features Provided:** Hermetically sealed case **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, single throw, both positions maintained **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 6.0 amperes resistive load single voltage **Contact Voltage Rating In Volts:** 120.0 ac at sea level single voltage Frequency In Hertz: 50.0 single voltage Media For Which Designed: Gas or liquid

Style Designator: Disc w/flange

NSN 5930-01-217-4717

Thermostatic Switch - Page 2 of 2



_			-		
C	hΔ	Iŧ.		ife:	
•			_	IIC.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0