

View Online at <https://aerobasegroup.com/nsn/5930-01-221-8145>

**Hazardous Locations/environmental Protection:**

Shock proof and vibration proof

**Overall Height:**

1.328 inches

**Overall Width:**

1.297 inches

**Body Thickness:**

0.120 inches

**Unthreaded Mounting Hole Diameter:**

0.115 inches single mounting facility

**Distance Between Mounting Facility Centers:**

1.031 inches single mounting facility

**Operating Temperature Range:**

-65.0 to 85.0 degrees celsius

**Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:**

1 single section rear

**Throw Quantity:**

4 single section front

**Mounting Method:**

Strut and unthreaded hole single mounting facility

**Contact Voltage Rating In Volts:**

30.0 dc at sea level

**Mounting Facility Pattern:**

Two position in-line single mounting facility

**Terminal Type:**

Clip

**Contact Switching Action:**

Makes before breaks single section front

**Contact Load Current Rating:**

500.0 milliamperes resistive load and 50.0 milliamperes inductive load dc at sea level

**Precious Material And Location:**

Terminals and rotor blades silver

**Precious Material:**

Silver

**Style Designator:**

Switch section, rotary

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A052b0