# NSN 5930-01-225-7817

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-225-7817

#### Thread Class:

2a single mounting facility

#### Thread Length:

0.250 inches single mounting facility

#### **Overall Length:**

1.292 inches

#### Shaft Diameter:

0.125 inches single actuator

#### Shaft Length:

0.375 inches single actuator

#### **Overall Diameter:**

0.500 inches

#### Individual Section Quantity:

1

#### Nonturn Device Type:

Flatted bushing at 3: 00 o'clock

#### Switch Contact Basic Design:

Nonpile-up symmetrical

#### **Pole Quantity:**

4 single section rear

#### Mounting Method:

Threaded bushing single mounting facility

#### Thready Qty Per Inch (tpi):

28 single mounting facility

#### Thread Size:

0.250 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

115.0 ac at sea level

# Switch Actuator Indexing Position Quantity:

4 single actuator

## Shaft Type:

Round, slotted single actuator

# Terminal Type:

Printed circuit

## **Contact Switching Action:**

Breaks before makes single section rear

## Switch Actuator Positioning Increment:

90.0 degrees single actuator

# Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

150.0 milliamperes resistive load ac at sea level

# NSN 5930-01-225-7817

Rotary Switch - Page 2 of 2

Style Designator:

Snap or line

### Thread Series Designator:

Unf single mounting facility

Shelf Life:

N/a

## Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A052b0

