

View Online at <https://aerobasegroup.com/nsn/5930-01-226-0897>

Thread Class:

2b all threaded hole

Hazardous Locations/environmental Protection:

Weatherproof

Overall Length:

4.312 inches

Overall Height:

4.688 inches

Overall Width:

2.125 inches

Body Length:

4.156 inches

Distance Between Mounting Facility Centers:

3.750 inches

Capillary Tube Length:

72.0 inches

Bulb Length:

6.906 inches

Bulb Diameter:

0.688 inches

Temperature Sensing Element Type:

Capillary tube-bulb

Operating Temperature Rating:

200.0 degrees fahrenheit

Mounting Method:

Bracket and threaded hole

Features Provided:

Electrical access port

Contact Action Stimulus:

Increase

Thread Size:

0.190 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

2 pole, double throw, one position momentary

Terminal Type:

Screw

Contact Load Current Rating:

15.0 amperes resistive load single voltage

Contact Adjustability:

Actuation point adjustable and deactuation point adjustable

Contact Adjustment Range:

-20.00 to 65.00 actuation point degrees celsius and -20.00 to 65.00 deactuation point degrees celsius

Contact Adjustment Type:

External actuation point knob with scale and external deactuation point knob with scale

Contact Voltage Rating In Volts:

250.0 ac at sea level single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Thread Series Designator:

Unf all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0