NSN 5930-01-226-8404



Thermostatic Switch - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5930-01-226-8404	
Thread Class:	
2b all threaded hole	
Hazardous Locations/environmental Protection:	
Vibration proof	
Overall Length:	
3.062 inches	
Body Diameter:	
0.500 inches	
Body Length:	
2.750 inches	
Overall Diameter:	
0.500 inches	
Distance Between Mounting Facility Centers:	
0.750 inches	
Tempurature Sensing Element Type:	
Internal sensor	
Mounting Method:	
Bracket and threaded hole	
Thready Qty Per Inch (tpi):	
32 all threaded hole	
Contact Action Stimulus:	
Increase	
Thread Size:	
0.138 inches all threaded hole	
Mounting Facility Pattern:	
Two position in-line	
Nonpile-up Contact Arrangement:	
1 pole, single throw, normally closed, momentary action	
Terminal Type:	
Tab, solder lug	
Contact Load Current Rating:	
5.0 amperes resistive load first voltage	

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

130.00 actuation point degrees fahrenheit

Contact Voltage Rating In Volts:

32.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Cylindrical

NSN 5930-01-226-8404

Thermostatic Switch - Page 2 of 2



Thread	Series	Design	ator.
ııııcaa	OCI ICS	Design	iatoi .

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0