

View Online at <https://aerobasegroup.com/nsn/5930-01-229-7232>

Overall Length:

1.125 inches

Overall Height:

0.690 inches

Body Diameter:

0.750 inches

Mounting Slot Width:

0.125 inches

Body Height:

0.500 inches

Distance Between Mounting Facility Centers:

1.000 inches

Tempurature Sensing Element Type:

Internal sensor

Mounting Method:

Bracket and slot

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

1.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point adjustable, preset and deactuation point adjustable, preset

Contact Adjustment Range:

+32.00 to 300.00 actuation point degrees fahrenheit and +32.00 to 300.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point screw and external deactuation point screw

Contact Stimulus Rating:

160.00 actuation point degrees fahrenheit and 155.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

32.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0