Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-233-3274

Overall Length:	
2.760 inches	
Overall Height:	
1.780 inches	
Overall Width:	
1.150 inches	
Unthreaded Mounting Hole Diame	ter:
0.100 inches single mounting facility	/
Individual Section Quantity:	
4	
Longest Horizontal Distance Betw	reen Mounting Centers:
2.590 inches single mounting facility	
Longest Vertical Distance Betwee	n Mounting Centers:
0.900 inches single mounting facility	
Operating Tempurature Range:	
-65.0/+85.0 degrees celsius	
Mounting Method:	
Bracket single mounting facility and	unthreaded hole single mounting facility
Actuator Type:	
Thumbwheel all actuators	
Contact Voltage Rating In Volts:	
28.0 dc at sea level	
Mounting Facility Pattern:	
Four position rectangular single mou	Inting facility
Switch Actuator Indexing Position) Quantity:
10 all actuators	
Terminal Type:	
Printed circuit	
Contact Load Current Rating:	
125.0 milliamperes resistive load dc	at sea level
Readout Indicator Marking:	
0, 1, 2, 3, 4, 5, 6, 7, 8, 9 each sectio	n
Contact Arrangement Truth Table	:
Decimal, 1 pole - 10 positions each	section
Color:	
White each indicator marking	
Style Designator:	
Rectangular inline indicating	
Test Data Document:	
81349-mil-s-22710 specification (inc	ludes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalo	gs, industry directories, and similar trade publications, reflecting general type data on certain
	uirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:	

81349-mil-s-22710/15 government specification

Code Indicating Wheel Switch - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0