## NSN 5930-01-233-9505

Pressure-thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-233-9505
Inside Diameter:
0.337 inches single connection
Overall Length:
7.913 inches
Overall Height:
3.110 inches
Overall Width:
2.047 inches
Body Height:
4.763 inches
Bulb Length:
1.968 inches
Bulb Diameter:
0.786 inches
End Application:
2815-99-739-4949 engine, diesel paxman model 16rp200m aboard 110 ft class coast guard vessels
Pressure Switch Type:
Gage
Tempurature Sensing Element Type:
Bulb
Mounting Method:
Immersion well
Features Provided:
Electrical access port
Contact Action Stimulus:
Decrease
Proof Pressure:
1500.00 pounds per square inch
Nonpile-up Contact Arrangement:
2 pole, double throw, two positions momentary
Terminal Type:
Screw
Contact Load Current Rating:
5.0 amperes resistive load first voltage
Contact Adjustability:

Actuation point adjustable

### **Contact Adjustment Range:**

+3.00/+54.00 actuation point pounds per square inch

### **Contact Adjustment Type:**

Internal actuation point shaft with scale

### **Contact Voltage Rating In Volts:**

480.0 ac at sea level second voltage

# NSN 5930-01-233-9505

Pressure-thermostatic Switch - Page 2 of 2



Pressure Connector Type:
Plain, threaded internal single connection
Frequency In Hertz:
60.0 second voltage
Media For Which Designed:
Liquid
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A048b0