## NSN 5930-01-235-3226

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-235-3226

Thread Class:
2a single threaded stud
Hazardous Locations/environmental Protection:
Salt spray resistant and vibration resistant
Overall Height:
0.614 inches
Body Height:
0.259 inches
Overall Diameter:
0.215 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between 0.0 degrees fahrenheit and 350.0 degrees fahrenheit
Mounting Method:
Threaded stud
Features Provided:
Hermetically sealed case
Thready Qty Per Inch (tpi):
40 single threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.112 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
61.00 actuation point degrees fahrenheit and 31.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid
Precious Material And Location:
Contacts silver

Silver

**Precious Material:** 

## NSN 5930-01-235-3226

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc
Thread Series Designator:
Unc single threaded stud
Shelf Life:
N/a

Demilitarization:

**Unit Of Measure:** 

No

Fiig:

A048b0