NSN 5930-01-235-6649

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-235-6649

Thread Class:
2a single threaded stud
Thread Length:
0.375 inches single threaded stud
Overall Height:
0.722 inches
Body Height:
0.347 inches
Overall Diameter:
0.660 inches
End Application:
Test set, electronic circuit plug-in unit an/gsm-285
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Threaded stud
Features Provided:
Hermetically sealed case
Thready Qty Per Inch (tpi):
32 single threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Turret
Contact Load Current Rating:
2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage and 1.0 amperes lamp load second voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
103.00 actuation point degrees fahrenheit and 109.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas or liquid

Disc

Style Designator:

NSN 5930-01-235-6649

Thermostatic Switch - Page 2 of 2



Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single threaded stud

Specification Data:

81349-mil-s-24236/20 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0