NSN 5930-01-245-0532

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-245-0532

Hazardous Locations/environmental Protection:
Dustproof and vibration resistant
Overall Length:
1.540 inches
Overall Height:
1.125 inches
Body Diameter:
1.250 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit
Mounting Method:
Terminal, wire-lead
Features Provided:
Hermetically sealed case and manual reset button
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
10.0 amperes resistive load first voltage4.0 amperes resistive load second voltage2.0 amperes resistive load third voltage10.0 amperes
resistive load fourth voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
105.00 actuation point degrees fahrenheit and 70.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 ac at sea level first voltage125.0 ac at sea level second voltage250.0 ac at sea level third voltage30.0 dc at sea level fourth voltage
Special Features:
6.000 in. Lg wire leads
Media For Which Designed:
Gas or liquid
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Style Designator:
Disc

N/a

Shelf Life:

NSN 5930-01-245-0532

Thermostatic Switch - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A048b0