NSN 5930-01-247-3451

Toggle Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5930-01-247-3451

Switch Actuator Quantity: Actuator Style: Rectangular Actuator Position-action Relationship: Up position maintained and down position maintained Maximum Voltage Rating In Volts: 5.0 dc Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A053a0	
Actuator Style: Rectangular Actuator Position-action Relationship: Up position maintained and down position maintained Maximum Voltage Rating In Volts: 5.0 de Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Switch Actuator Quantity:
Rectangular Actuator Position-action Relationship: Up position maintained and down position maintained Maximum Voltage Rating In Volts: 5.0 dc Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: —— Demilitarization: No Fiig:	5
Actuator Position-action Relationship: Up position maintained and down position maintained Maximum Voltage Rating In Volts: 5.0 dc Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Actuator Style:
Up position maintained and down position maintained Maximum Voltage Rating In Volts: 5.0 dc Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Rectangular
Maximum Voltage Rating In Volts: 5.0 dc Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Actuator Position-action Relationship:
Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Up position maintained and down position maintained
Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Maximum Voltage Rating In Volts:
Fully enclosed Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	5.0 dc
Nonpile-up Contact Arrangement: 5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Inclosure Type:
5 pole, single throw, double make, both positions maintained single switch unit Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Fully enclosed
Contact Load Current Rating At Maximum Rated Voltage: 100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Nonpile-up Contact Arrangement:
100.000 milliamperes resistive dc Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	5 pole, single throw, double make, both positions maintained single switch uni
Terminal Type And Quantity: 10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Contact Load Current Rating At Maximum Rated Voltage:
10 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	100.000 milliamperes resistive dc
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminal Type And Quantity:
N/a Unit Of Measure: Demilitarization: No Filig:	10 printed circuit
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
-	No
A053a0	Fiig:
	A053a0