## NSN 5930-01-248-5926

Thermostatic Switch - Page 1 of 2

**Hazardous Locations/environmental Protection:** 

Vibration resistant

Overall Length:



View Online at https://aerobasegroup.com/nsn/5930-01-248-5926

1.900 inches
Overall Height:
1.050 inches
Body Diameter:
1.230 inches
Body Height:
0.690 inches
Unthreaded Mounting Hole Diameter:
0.172 inches
Distance Between Mounting Facility Centers:
1.469 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
10.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
195.00 actuation point degrees fahrenheit and 175.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Disc w/flange
Shelf Life:
N/a

## NSN 5930-01-248-5926

Thermostatic Switch - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A048b0