NSN 5930-01-249-7582

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-249-7582
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Shock resistant and vibration resistant
Overall Length:
4.188 inches
Overall Height:
2.500 inches
Overall Width:
3.000 inches
Individual Section Quantity:
7
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
02000-1
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section periphery
Throw Quantity:
2 each section periphery
Mounting Facility Circle Radius:
1.156 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
350.0 highest dc voltage rating at sea level
Mounting Facility Pattern:
Four position circular single mounting facility
Switch Actuator Indexing Position Quantity:
2 single actuator
Terminal Type:
Tab w/screw

Contact Switching Action:

Breaks before makes each section periphery

NSN 5930-01-249-7582

Rotary Switch - Page 2 of 2



90.0 degrees single actuator

Switch Actuator Stop Device Type:

Adjustable stop single actuator

Contact Load Current Rating:

10.0 amperes resistive load lowest dc voltage rating at sea level and 10.0 amperes inductive load lowest dc voltage rating at sea level

Style Designator:

Tap, circuit selector

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0