

View Online at <https://aerobasegroup.com/nsn/5930-01-257-0484>

liilength:
1.200 inches

Body Diameter:
0.640 inches

Mounting Slot Width:
0.140 inches

Unthreaded Mounting Hole Diameter:
0.140 inches

Distance Between Mounting Facility Centers:
0.937 inches

Tempurature Sensing Element Type:
Internal sensor

Operating Tempurature Rating:
Between 65.0 degrees celsius and 500.0 degrees celsius

Mounting Method:
Bracket and slot and unthreaded hole

Features Provided:
Hermetically sealed case

Contact Action Stimulus:
Decrease

Mounting Facility Pattern:
Two position in-line

Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action

Terminal Type:
Tab, solder lug

Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:
100.00 actuation point degrees celsius and 100.00 deactuation point degrees celsius

Media For Which Designed:
Gas or liquid

Style Designator:
Disc w/flange

Test Data Document:
81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:
N/a

Unit Of Measure:
--

Demilitarization:
No

Fig:

A048b0