## NSN 5930-01-257-4407

**Hazardous Locations/environmental Protection:** 

Vibration resistant
Overall Length:
0.970 inches
Body Diameter:
0.250 inches
Body Length:

Gas or liquid

**Precious Material:** Iridium and platinum

Precious Material And Location:
Contacts iridium and contacts platinum

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-257-4407

0.750 inches
Overall Diameter:
0.250 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees celsius and 175.0 degrees celsius
Mounting Method:
Clip
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable, preset
Contact Adjustment Range:
+75.00/+150.00 actuation point degrees celsius
Contact Adjustment Type:
External actuation point screw
Contact Stimulus Rating:
100.00 actuation point degrees celsius and 1.00 differential point degrees celsius
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Special Features:
Adjustment screw extends 0.094 in. Beyond o/a dia
Media For Which Designed:

## NSN 5930-01-257-4407

Thermostatic Switch - Page 2 of 2



Style Designator:
Cylindrical
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A048b0