NSN 5930-01-258-6653

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-258-6653

| Overall Length: |
|---|
| 2.000 inches |
| Overall Height: |
| 1.250 inches |
| Body Diameter: |
| 1.380 inches |
| Body Height: |
| 2.230 inches |
| Unthreaded Mounting Hole Diameter: |
| Between 0.166 inches and 0.180 inches |
| Distance Between Mounting Facility Centers: |
| 1.625 inches |
| End Application: |
| Used on condensing unit model fl0651f onboard 210 ft wmec coast guard vessels |
| Tempurature Sensing Element Type: |
| Internal sensor |
| Mounting Method: |
| Bracket and unthreaded hole |
| Cubic Measure: |
| 518.400 cubic inches |
| Contact Action Stimulus: |
| Increase |
| Mounting Facility Pattern: |
| Two position in-line |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, normally closed, momentary action |
| Terminal Type: |
| Wire lead |
| Contact Load Current Rating: |
| 25.0 amperes resistive load single voltage |
| Contact Adjustability: |
| Actuation point not adjustable and deactuation point not adjustable |
| Contact Stimulus Rating: |
| 40.00 actuation point degrees fahrenheit and 75.00 actuation point degrees fahrenheit |
| Contact Voltage Rating In Volts: |
| 240.0 ac at sea level second voltage |
| Frequency In Hertz: |
| 60.0 single voltage |
| Media For Which Designed: |
| Gas |
| Style Designator: |
| Disc w/flange |
| |

NSN 5930-01-258-6653

Thermostatic Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

