

View Online at <https://aerobasegroup.com/nsn/5930-01-260-3832>

Thread Class:

3a single threaded bushing

Hazardous Locations/environmental Protection:

Dustproof and fungus proof and salt spray resistant and vibration resistant

Overall Length:

2.100 inches

Body Diameter:

Between 0.615 inches and 0.655 inches

Body Length:

Between 1.060 inches and 1.100 inches

Temperature Sensing Element Type:

Internal sensor

Width Across Flats:

1.125 inches

Operating Temperature Rating:

Between -65.0 degrees fahrenheit and 265.0 degrees fahrenheit

Mounting Method:

Threaded bushing

Contact Action Stimulus:

Increase

Thread Size:

0.750 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

25.0 microamperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

85.00 actuation point degrees fahrenheit and 70.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

50.0 dc at sea level second voltage

Media For Which Designed:

Semisolid

Style Designator:

Cylindrical w/flange

Thread Series Designator:

Unjf single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0