## NSN 5930-01-262-9736

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-262-9736

Hazardous Locations/environmental Protection:
Moisture resistant and vibration resistant
Overall Length:
6.312 inches
Overall Height:
2.450 inches
Unthreaded Mounting Hole Diameter:
0.209 inches
Distance Between Mounting Facility Centers:
1.120 inches
Tempurature Sensing Element Type:
Immersion well
Operating Tempurature Rating:
Between 32.0 degrees fahrenheit and 132.0 degrees fahrenheit
Mounting Method:
Base and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
5.0 amperes resistive load single voltage
Contact Adjustability:
Actuation point adjustable, preset and deactuation point adjustable, preset
Contact Adjustment Range:
+84.00/+132.00 actuation point degrees fahrenheit and +84.00/+132.00 deactuation point degrees fahrenheit
Contact Stimulus Rating:
132.00 actuation point degrees fahrenheit and 122.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level single voltage
Media For Which Designed:
Liquid
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5930-01-262-9736

Thermostatic Switch - Page 2 of 2



Demilitarization:

No

Fiig:

A048b0