

View Online at <https://aerobasegroup.com/nsn/5930-01-262-9736>

**Hazardous Locations/environmental Protection:**

Moisture resistant and vibration resistant

**Overall Length:**

6.312 inches

**Overall Height:**

2.450 inches

**Unthreaded Mounting Hole Diameter:**

0.209 inches

**Distance Between Mounting Facility Centers:**

1.120 inches

**Temperature Sensing Element Type:**

Immersion well

**Operating Temperature Rating:**

Between 32.0 degrees fahrenheit and 132.0 degrees fahrenheit

**Mounting Method:**

Base and unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary

**Terminal Type:**

Connector, receptacle

**Contact Load Current Rating:**

5.0 amperes resistive load single voltage

**Contact Adjustability:**

Actuation point adjustable, preset and deactuation point adjustable, preset

**Contact Adjustment Range:**

+84.00/+132.00 actuation point degrees fahrenheit and +84.00/+132.00 deactuation point degrees fahrenheit

**Contact Stimulus Rating:**

132.00 actuation point degrees fahrenheit and 122.00 deactuation point degrees fahrenheit

**Contact Voltage Rating In Volts:**

28.0 dc at sea level single voltage

**Media For Which Designed:**

Liquid

**Style Designator:**

Rectangular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0