## NSN 5930-01-263-2825

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-263-2825

Overall Length:
2.770 inches
Body Length:
1.640 inches
End Application:
2320-01-177-5167 power unit, front
Tempurature Sensing Element Type:
Internal sensor
Width Across Flats:
0.880 inches
Operating Tempurature Rating:
Between -40.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.500 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Criticality Code Justification:
Feat
Terminal Type:
Threaded stud
Contact Load Current Rating:
4.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
Contact Stimulus Rating:
Contact Stimulus Rating: 215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit
Contact Stimulus Rating: 215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit Contact Voltage Rating In Volts:
Contact Stimulus Rating: 215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit Contact Voltage Rating In Volts: 32.0 dc at sea level third voltage
Contact Stimulus Rating: 215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit Contact Voltage Rating In Volts: 32.0 dc at sea level third voltage Special Features:
Contact Stimulus Rating:  215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit  Contact Voltage Rating In Volts:  32.0 dc at sea level third voltage  Special Features:  Weapon system essential
Contact Stimulus Rating:  215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit  Contact Voltage Rating In Volts:  32.0 dc at sea level third voltage  Special Features:  Weapon system essential  Media For Which Designed:
Contact Stimulus Rating:  215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit  Contact Voltage Rating In Volts:  32.0 dc at sea level third voltage  Special Features:  Weapon system essential  Media For Which Designed:  Gas or liquid
Contact Stimulus Rating:  215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit  Contact Voltage Rating In Volts:  32.0 dc at sea level third voltage  Special Features:  Weapon system essential  Media For Which Designed:  Gas or liquid  Style Designator:
Contact Stimulus Rating:  215.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit  Contact Voltage Rating In Volts:  32.0 dc at sea level third voltage  Special Features:  Weapon system essential  Media For Which Designed:  Gas or liquid  Style Designator:  Cylindrical w/flange

N/a

## NSN 5930-01-263-2825

Thermostatic Switch - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A048b0