NSN 5930-01-264-7773

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-264-7773

Overall Length:

4.969 inches

Overall Height:

1.000 inches

Overall Width:

1.750 inches

Body Length:

4.125 inches

Unthreaded Mounting Hole Diameter:

0.281 inches

Distance Between Mounting Facility Centers:

2.375 inches

Mounting Method:

Unthreaded hole

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Wire lead

Contact Load Current Rating:

0.13 amperes resistive load single voltage

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

1.50 actuation point gallons per minute

Contact Voltage Rating In Volts:

20.0 dc at sea level single voltage

Special Features:

Housing material-brass or 316 stainless steel; piston material-polysulfone for water, brass for oil or air, or stainless steel; operating temperature-minus 20 degrees f to 300 degrees f for brass or stainless steel piston, minus 20 degrees f to 225 degrees f for polysulfone piston

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5930-01-264-7773

Flow Switch - Page 2 of 2

Fiig: A048b0

