

View Online at <https://aerobasegroup.com/nsn/5930-01-265-7768>

Thread Class:

2a

Body Style:

Hole mount

Hazardous Locations/environmental Protection:

Dustproof

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.281 inches

Body Length:

2.691 inches

Body Width:

1.718 inches

Body Height:

1.375 inches

Actuator Style:

Rectangular

Actuator Height:

0.925 inches

Actuator Width:

0.406 inches

Actuator Position-action Relationship:

Up position maintained and down position maintained and center position maintained

Actuator Color:

Ivory single actuator

Maximum Voltage Rating In Volts:

277.0 ac

Inclosure Type:

Fully enclosed

Mounting Method:

Threaded hole

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Nonpile-up Contact Arrangement:

2 pole, double throw, both positions maintained single switch unit

Contact Load Current Rating At Maximum Rated Voltage:

15.000 amperes resistive ac

Test Data Document:

81348-ws896 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Terminal Type And Quantity:

6 screw

Specification Data:

81348-w-s-896/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A053a0