NSN 5930-01-265-7778

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-265-7778
Overall Length:
Between 0.322 inches and 0.366 inches
Overall Height:
Between 0.065 inches and 0.095 inches
Body Diameter:
Between 0.248 inches and 0.278 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Clamp
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
500.0 milliamperes resistive load second voltage and 500.0 milliamperes inductive load second voltage and 200.0 milliamperes lamp load
second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
30.00 differential point degrees fahrenheit and 220.00 actuation point degrees fahrenheit and 190.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Disc
Test Data Document:
81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-s-24236/13 government specification
Shelf Life:

No

Unit Of Measure:

Demilitarization:

N/a

NSN 5930-01-265-7778

Thermostatic Switch - Page 2 of 2



Fiig:

A048b0