NSN 5930-01-268-2275

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-268-2275

Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
1.187 inches
Overall Height:
0.349 inches
Body Diameter:
0.625 inches
Body Height:
0.309 inches
Unthreaded Mounting Hole Diameter:
0.109 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
8.0 amperes resistive load single voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
210.00 actuation point degrees fahrenheit and 180.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
120.0 ac at sea level single voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5930-01-268-2275

Thermostatic Switch - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A048b0