NSN 5930-01-273-7975

Toggle Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-273-7975

| · · · |
|--|
| Body Style: |
| Printed circuit |
| Hazardous Locations/environmental Protection: |
| Dustproof |
| Overall Length: |
| 1.000 inches |
| Overall Height: |
| 0.480 inches |
| Overall Width: |
| 0.380 inches |
| Body Length: |
| 1.000 inches |
| Body Width: |
| 0.380 inches |
| Body Height: |
| Between 0.240 inches and 0.300 inches |
| Case Material: |
| Plastic |
| Switch Actuator Quantity: |
| 9 |
| Actuator Style: |
| Rectangular |
| Actuator Height: |
| Between 0.195 inches and 0.205 inches |
| Actuator Width: |
| 0.070 inches |
| Actuator Position-action Relationship: |
| Up position maintained and down position maintained |
| Maximum Voltage Rating In Volts: |
| 6.0 dc and 24.0 dc |
| End Application: |
| 6920-01-142-2858 target holding set |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Method: |
| Printed circuit |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, both positions maintained 9th switch unit |
| Contact Load Current Rating At Maximum Rated Voltage: |
| 100.0 milliamperes resistive dc and 25.0 milliamperes resistive dc |

Precious Material And Location:

Contact siurfaces gold

NSN 5930-01-273-7975

Toggle Switch - Page 2 of 2



Test Data Document:

81349-mil-s-83504 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

18 printed circuit

Specification Data:

81349-mil-s-83504/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A053a0