NSN 5930-01-275-6546

Thermostatic Switch - Page 1 of 2

Thread Class:
2b all threaded hole



View Online at https://aerobasegroup.com/nsn/5930-01-275-6546

Overall Length:
2.656 inches
Overall Height:
1.125 inches
Overall Width:
2.093 inches
Body Length:
1.843 inches
Distance Between Mounting Facility Centers:
0.688 inches
Capillary Tube Length:
36.0 inches
Tempurature Sensing Element Type:
Capillary tube
Mounting Method:
Bracket and threaded hole
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Decrease
Thread Size:
0.138 inches all threaded hole
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Quick disconnect, male
Contact Load Current Rating:
8.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
150.00 actuation point degrees fahrenheit and 130.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
Contact Voltage Rating In Volts: 240.0 ac at sea level first voltage
240.0 ac at sea level first voltage
240.0 ac at sea level first voltage Frequency In Hertz:

NSN 5930-01-275-6546

Thermostatic Switch - Page 2 of 2



Style	Designato	r:

Rectangular

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0