## NSN 5930-01-282-0520

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-282-0520

Thread Class:
2a single threaded stud
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Height:
0.867 inches
Body Height:
0.437 inches
Overall Diameter:
Between 0.540 inches and 0.640 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 500.0 degrees fahrenheit
Mounting Method:
Threaded stud
Features Provided:
Hermetically sealed case
Thready Qty Per Inch (tpi):
32 single threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Criticality Code Justification:
Feat
Terminal Type:
Wire lead
Contact Load Current Rating:
5.0 amperes resistive load second voltage and 2.5 amperes inductive load second voltage and 1.0 amperes lamp load second voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
170.00 actuation point degrees fahrenheit and 115.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:

Special Features:

Weapon system essential

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

## NSN 5930-01-282-0520

Thermostatic Switch - Page 2 of 2



Media For Which Designed:
Gas or liquid
Style Designator:
Disc
Thread Series Designator:
Unc single threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0