## NSN 5930-01-285-9104

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-285-9104

**Overall Length:** 2.250 inches **Outside Diameter:** 0.125 inches single connection **Body Length:** 0.562 inches **Overall Diameter:** 1.125 inches **Pressure Switch Type:** Absolute **Operating Tempurature Rating:** Between -65.0 degrees fahrenheit and 225.0 degrees fahrenheit **Mounting Method:** Inlet connection Thready Qty Per Inch (tpi): 27 single pressure connection **Contact Action Stimulus:** Increase **Proof Pressure:** 3000.00 pounds per square inch **Thread Size:** 0.125 inches single pressure connection **Nonpile-up Contact Arrangement:** 1 pole, double throw, one position momentary **Terminal Type:** Wire lead **Contact Load Current Rating:** 5.0 amperes resistive load second voltage and 5.0 amperes inductive load second voltage **Contact Adjustability:** Actuation point adjustable and deactuation point adjustable **Contact Adjustment Range:** +58.23/+746.45 actuation point millimeters of mercury and +31.76/+595.58 deactuation point millimeters of mercury **Contact Adjustment Type:** External actuation point lock ring and external deactuation point lock ring **Contact Voltage Rating In Volts:** 28.0 dc at sea level first voltage **Pressure Connector Type:** Plain, threaded external single connection Media For Which Designed:

Gas or liquid

**Precious Material And Location:** 

Contacts silver

## **NSN 5930-01-285-9104**Pressure Switch - Page 2 of 2



| Precious Material:             |
|--------------------------------|
| Silver                         |
| Style Designator:              |
| Cylindrical                    |
| Thread Series Designator:      |
| Npt single pressure connection |
| Shelf Life:                    |
| N/a                            |
| Unit Of Measure:               |
|                                |
| Demilitarization:              |
| No                             |

Fiig: A048b0