NSN 5930-01-290-2383

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-290-2383

Thread Class:

2b single mounting facility

Overall Length:

8.280 inches

Overall Height:

3.000 inches

Overall Width:

2.250 inches

Distance Between Mounting Facility Centers:

2.310 inches single mounting facility

Individual Section Quantity:

3

Switch Contact Basic Design:

Nonpile-up nonsymmetrical

Mounting Method:

Threaded hole single mounting facility

Features Provided:

Actuator knob and legend plate

Thready Qty Per Inch (tpi):

20 single mounting facility

Thread Size:

0.250 inches single mounting facility

Contact Voltage Rating In Volts:

600.0 highest ac voltage rating at sea level

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

12 single actuator

Terminal Type:

Threaded stud

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Adjustable stop single actuator

Contact Load Current Rating:

8.0 amperes resistive load highest ac voltage rating at sea level

Special Features:

Legend reads: voltmeter; bus; gen; off; 1; 2; 3

Precious Material And Location:

Rotor and terminal surfaces silver

Precious Material:

Silver

NSN 5930-01-290-2383

Rotary Switch - Page 2 of 2



Desig	

Rectangular panel mount

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0