NSN 5930-01-297-1956

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-297-1956

Thread Class: 2a single mounting facility **Overall Length:** 4.750 inches **Overall Height:** 2.906 inches **Overall Width:** 2.812 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 2.000 inches single mounting facility **Shortest Horizontal Distance Between Mounting Centers:** 1.000 inches single mounting facility **Longest Vertical Distance Between Mounting Centers:** 2.188 inches single mounting facility **Switch Contact Basic Design:** Nonpile-up nonsymmetrical **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility **Features Provided:** Actuator knob **Thread Size:** 0.190 inches single mounting facility **Contact Voltage Rating In Volts:** 600.0 ac at sea level **Mounting Facility Pattern:** Isosceles triangle single mounting facility **Switch Actuator Indexing Position Quantity:** 8 single actuator **Terminal Type: Switch Actuator Positioning Increment:** 45.0 degrees single actuator **Switch Actuator Stop Device Type:** Adjustable stop single actuator **Contact Load Current Rating:** 20.0 amperes resistive load ac at sea level **Precious Material And Location:** Contact surfaces silver **Precious Material:** Silver

NSN 5930-01-297-1956

Rotary Switch - Page 2 of 2



Style	De	sia	nato	r:
	-	v.9		

Tap, circuit selector

Thread Series Designator:

Unf single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0