NSN 5930-01-298-3930

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-298-3930

Hazardous L	ocations/environmental Protection:
Vibration resis	stant
Overall Leng	th:
Between 1.16	0 inches and 1.260 inches
Overall Heigh	ht:
0.526 inches	
Body Diamet	er:
0.640 inches	
Mounting Slo	bt Width:
Between 0.13	3 inches and 0.147 inches
Body Height:	
Between 0.28	0 inches and 0.395 inches
Unthreaded I	Mounting Hole Diameter:
Between 0.13	3 inches and 0.147 inches
Distance Bet	ween Mounting Facility Centers:
Between 0.93	0 inches and 0.944 inches
Tempurature	Sensing Element Type:
Internal sense	or and the second se
Operating Te	empurature Rating:
Between -65.0	0 degrees fahrenheit and 500.0 degrees fahrenheit
Mounting Me	sthod:
Bracket and s	lot and unthreaded hole
Features Pro	vided:
Hermetically s	sealed case
Contact Action	on Stimulus:
Increase	
Mounting Fa	cility Pattern:
Two position i	in-line
Nonpile-up C	Contact Arrangement:
1 pole, single	e throw, normally open, momentary action
Terminal Typ	be:
Tab, solder lu	Dr.
Contact Load	d Current Rating:
5.0 amperes r	resistive load second voltage and 2.5 amperes inductive load second voltage and 1.0 amperes lamp load second voltage
Contact Adju	ıstability:
Actuation poir	nt not adjustable and deactuation point not adjustable
Contact Stim	ulus Rating:
125.00 actuat	ion point degrees fahrenheit and 110.00 deactuation point degrees fahrenheit
Contact Volta	age Rating In Volts:
28.0 dc at sea	a level second voltage
Frequency In	n Hertz:
60.0 first volta	age

NSN 5930-01-298-3930

Thermostatic Switch - Page 2 of 2



Media For Which Designed:

Gas or liquid

Style Designator:

Disc w/flange

Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-s-24236/1 government specification

Shelf Life: N/a Unit Of Measure: --Demilitarization:

No

Fiig:

A048b0