

View Online at <https://aerobasegroup.com/nsn/5930-01-301-9795>

Hazardous Locations/environmental Protection:

Dustproof

Overall Length:

1.185 inches

Overall Height:

0.710 inches

Body Diameter:

0.630 inches

Body Height:

0.376 inches

Unthreaded Mounting Hole Diameter:

0.145 inches

Distance Between Mounting Facility Centers:

0.938 inches

Temperature Sensing Element Type:

Internal sensor

Operating Temperature Rating:

Between -20.0 degrees fahrenheit and 350.0 degrees fahrenheit

Mounting Method:

Bracket and unthreaded hole

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

10.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

135.00 actuation point degrees fahrenheit and 115.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

240.0 ac at sea level second voltage

Media For Which Designed:

Gas or liquid

Precious Material And Location:

Terminal surfaces and contacts silver

Precious Material:

Silver

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0