

View Online at <https://aerobasegroup.com/nsn/5930-01-304-6834>

**Thread Class:**

2a all threaded stud

**Hazardous Locations/environmental Protection:**

Vibration resistant

**Overall Length:**

1.590 inches

**Body Diameter:**

0.300 inches

**Body Length:**

0.700 inches

**Overall Diameter:**

0.300 inches

**Distance Between Mounting Facility Centers:**

0.700 inches

**Temperature Sensing Element Type:**

Internal sensor

**Mounting Method:**

Bracket and threaded stud

**Thready Qty Per Inch (tpi):**

40 all threaded stud

**Contact Action Stimulus:**

Increase

**Thread Size:**

0.112 inches all threaded stud

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Wire lead

**Contact Load Current Rating:**

1.0 amperes resistive load second voltage

**Contact Adjustability:**

Actuation point not adjustable

**Contact Stimulus Rating:**

70.00 actuation point degrees celsius

**Contact Voltage Rating In Volts:**

120.0 ac at sea level first voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Cylindrical

**Thread Series Designator:**

Unc all threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0