

View Online at <https://aerobasegroup.com/nsn/5930-01-304-6834>

Thread Class:

2a all threaded stud

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

1.590 inches

Body Diameter:

0.300 inches

Body Length:

0.700 inches

Overall Diameter:

0.300 inches

Distance Between Mounting Facility Centers:

0.700 inches

Temperature Sensing Element Type:

Internal sensor

Mounting Method:

Bracket and threaded stud

Thready Qty Per Inch (tpi):

40 all threaded stud

Contact Action Stimulus:

Increase

Thread Size:

0.112 inches all threaded stud

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Wire lead

Contact Load Current Rating:

1.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

70.00 actuation point degrees celsius

Contact Voltage Rating In Volts:

120.0 ac at sea level first voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Cylindrical

Thread Series Designator:

Unc all threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0