NSN 5930-01-308-1492

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-308-1492

Thread Class:

2a single threaded stud

Hazardous Locations/environmental Protection:

Dustproof

Overall Height:

0.937 inches

Body Height:

0.376 inches

Overall Diameter:

0.630 inches

Tempurature Sensing Element Type:

Internal sensor

Operating Tempurature Rating:

Between 201.0 degrees fahrenheit and 300.0 degrees fahrenheit

Mounting Method:

Threaded stud

Thready Qty Per Inch (tpi):

32 single threaded stud

Contact Action Stimulus:

Increase

Thread Size:

0.138 inches single threaded stud

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Quick disconnect, male

Contact Load Current Rating:

10.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

220.00 actuation point degrees fahrenheit and 250.00 actuation point degrees fahrenheit and 20.00 differential point degrees fahrenheit

and 100.00 differential point degrees fahrenheit

Contact Voltage Rating In Volts:

240.0 ac at sea level second voltage

Media For Which Designed:

Gas or liquid

Precious Material And Location:

Contacts silver

Precious Material:

Silver

Style Designator:

Disc

NSN 5930-01-308-1492

Thermostatic Switch - Page 2 of 2



Thread Series Designator:

Unc single threaded stud

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0