## NSN 5930-01-308-7475

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-308-7475

**Thread Class:** 

2b single mounting facility

**Overall Length:** 

6.570 inches

**Overall Height:** 

2.130 inches

Overall Width:

2.130 inches

**Individual Section Quantity:** 

10

**Longest Horizontal Distance Between Mounting Centers:** 

1.641 inches single mounting facility

**Longest Vertical Distance Between Mounting Centers:** 

1.641 inches single mounting facility

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 each section periphery

**Throw Quantity:** 

7 each section periphery

**Mounting Method:** 

Bracket single mounting facility and threaded hole single mounting facility

**Features Provided:** 

Actuator knob

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

Contact Voltage Rating In Volts:

600.0 highest ac voltage rating at sea level

**Mounting Facility Pattern:** 

Four position rectangular single mounting facility

**Switch Actuator Indexing Position Quantity:** 

8 single actuator

**Terminal Type:** 

Screw

**Switch Actuator Positioning Increment:** 

45.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Adjustable stop single actuator

**Contact Load Current Rating:** 

5.0 amperes resistive load lowest dc voltage rating at sea level

## NSN 5930-01-308-7475

Rotary Switch - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces silver
Precious Material:
Silver
Style Designator:
Tap, square frame
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A052b0