## NSN 5930-01-310-3706

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-310-3706

**Thread Class:** 

2a single mounting facility

**Overall Length:** 

0.867 inches

**Overall Diameter:** 

0.500 inches

**Individual Section Quantity:** 

1

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 single section in-line

**Throw Quantity:** 

2 single section in-line

**Mounting Method:** 

Threaded bushing w/panel seal single mounting facility

Thready Qty Per Inch (tpi):

28 single mounting facility

**Thread Size:** 

0.250 inches single mounting facility

**Contact Voltage Rating In Volts:** 

30.0 dc at sea level

**Switch Actuator Momentary Position:** 

Clockwise single actuator and counterclockwise single actuator

**Rotor Through Connection Quantity:** 

1 single section

**Switch Actuator Indexing Position Quantity:** 

2 single actuator

**Terminal Type:** 

Electron tube base

**Contact Switching Action:** 

Breaks before makes single section in-line

**Switch Actuator Positioning Increment:** 

90.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Adjustable stop single actuator

**Contact Load Current Rating:** 

6.0 amperes resistive load dc at sea level

**Style Designator:** 

Miniature, bushing mount

**Thread Series Designator:** 

Unf single mounting facility

## NSN 5930-01-310-3706

Rotary Switch - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0