Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-310-6082

Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
6.290 inches
Overall Height:
1.800 inches
Overall Width:
1.725 inches
Unthreaded Mounting Hole Diameter:
1.000 inches single mounting facility
Individual Section Quantity:
11
Longest Horizontal Distance Between Mounting Centers:
6.114 inches single mounting facility
Longest Vertical Distance Between Mounting Centers:
0.900 inches single mounting facility
Operating Tempurature Range:
-65.0/+85.0 degrees celsius
Mounting Method:
Bracket single mounting facility and unthreaded hole single mounting facility
Actuator Type:
Thumbwheel all actuators
Contact Voltage Rating In Volts:
28.0 dc at altitude
Mounting Facility Pattern:
Four position rectangular single mounting facility
Switch Actuator Indexing Position Quantity:
16 all actuators
Terminal Type:
Printed circuit
Contact Load Current Rating:
125.0 milliamperes resistive load dc at sea level
Readout Indicator Marking:
0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, f each section
Contact Arrangement Truth Table:
Decimal, 1 pole - 16 positions each section
Color:
White 9th indicator background
Style Designator:
Rectangular inline indicating
Specification Data:
93322-7909179-500 manufacturers source control

Code Indicating Wheel Switch - Page 2 of 2

AeroBase Group

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0